

**NATIONAL HANDLOOM EXPO
PUNE
2017-2018**

E-TENDER DOCUMENT

FOR CIVIL WORKS / CONSTRUCTION

***MAHARASHTRA STATE
HANDLOOMS CORPORATION LTD;
NAGPUR.***

Tender Cost Rs. 3000/-

NATIONAL HANDLOOM EXPO – 2017-18 AT PUNE.

E - TENDER DOCUMENT

<u>Contents</u>	<u>Page No</u>
1. E - Tender Notice	01
2. General Conditions	02 to 06
3. Specification of Theme Pavilion	07 to 15
4. Specification of Stalls	16 to 29
5. Quotation/Letter of Offer	30 to 34

(1)

MAHARASHTRA STATE HANDLOOMS CORPORATION LIMITED,
'MSHC COMPLEX' UMRER ROAD, NAGPUR-440 009.

E-TENDER NOTICE

SCHEDULE OF TENDER

Separate e-Tenders are invited from reputed Contractors possessing own material for Construction/Civil Work and Publicity of the proposed **National Handloom Expo-2017-18 at S.S.P.M.S. Ground, Pune from 06/01/2018 to 28/01/2018.**

1. Tender documents can be obtained from website www.mahatenders.gov.in from dated **01/11/2017** on **12.00 P.M.** onwards.
2. Submission of tenders with EMD Rs. 5,00,000/- and cost of Tender Form Rs. 3000/- (non-refundable) for construction/civil works through Net Banking, up to **12.00 P.M.** on dated **29/11/2017** as per online schedule.
3. e-Tenders are also invited to appoint Publicity Agency to carry out advertisements. Tender form can be obtained from website www.mahatenders.gov.in
4. Submission of tenders with EMD Rs. 2,00,000/- and cost of Tender Form Rs. 1000/- (non-refundable) through Net Banking, as per online schedule up to **12.00 P.M.** on **29/11/2017**
5. Opening of tenders by Expo Committee on **30/11/2017** at **12.00 P.M.**
6. The National Handloom expo committee reserves right to accept or reject any of the or all tenders without assigning reasons thereof. Expo authority also reserves right to inspect godown of the tenderer so as to ascertain the availability of construction material.

SD/-
MANAGING DIRECTOR
M. S. HANDLOOMS CORPN. LTD; NAGPUR.

(2)

GENERAL CONDITIONS

- (1) e-Tenders are invited from reputed Contractors, having experience of similar nature of work for construction of Civil works Pavilions, Electrification, Theme Pavilions and other services including water supply as per schedule allied works including its maintenance at the proposed National Handloom Expo to be held at **S.S.P.M.S. Ground, Pune, Maharashtra** from **06/01/2018 to 28/01/2018.**
- (2) The duration of the National Expo shall be 23 days. However, in case, it is extended up to three days no extra payment shall be made to the contractor. In case the expo is extended for more than three days extra payment for each extended day(s) beyond 23 days shall be made at the rate not exceeding proportionate cost for 23 days. On completion of the Expo the Contractor shall have to take away all materials within 6 days and shall have to vacate the site. He shall have to pay Rs. 30,000/- per day for the days he occupies for vacating the site beyond the period allowed thereof. The Expo Authorities will not be responsible for any damages incurred by the Contractors in case of forceful removal of material by Land Authority.
- (3) Contractors will be responsible to make its own arrangement of light during the period of erection and dismantling of structure.
- (4) The Expo Ground shall be formally made available to the contractor by the Expo Authority on as is where is basis from 27/12/2017. The construction work must start immediately at site on the same day and be completed and handed over to the Expo Authorities formally by 05/01/2018 positively after completion of National Handloom Expo contractor has to dismantle the structure, clean the ground and hand over it to the concerned authority on or before 07/02/2018 The timely progress with quality of the work shall be checked and supervised by officer duly nominated by the Expo Authority to ensure that the work is done as per specifications, time schedule and as per direction of Expo Incharge. Tenderers are free and advised to inspect the site for physical conditions before tendering.

- (5) Contractors will be responsible to look after the general wants of the participants for which responsible staff will have to be present at the time during the period of Expo.
- (6) In case any portion of work is not completed as per laid down specifications and handed over to the Expo Authorities on the due date, penalty upto 10% on the total value of work allotted/awarded will be imposed per day by the Expo Authority.
- (7) The Volume and number of items may vary as per requirement on time, work discretion & decisions of the Expo Authority, from time to time, upto 30% of the contracted work either way more or less and the final payment to the Contractor shall be billed on the basis of actual work executed and on the rate(s) as per approved tender rates. For extra fitting contractor will have to quote rates separately. For all such extra fittings, the expo authority reserves the right to pay the lowest of the rates quoted by the competing contractor.
- (8) The Contractors will be responsible for up keep and maintenance of the entire work done by him till the closing of the exhibition, for which, no extra payment shall be made. He shall therefore, have to ensure adequate number of sweepers/cleaners to the satisfaction of the Expo Authority. Breakage's and damages in any work shall immediately be repaired and no extra payment will be made for any damage, breakage or loss on account of any reason or natural calamities. Layout Plans etc; of the site shall have to be provided by the Tenderer. The Committee reserves the right to reject any or all tenders without assigning any reason or to accept any portion of the tender and award the remaining work to any other Contractor.
- (9) No part of the contract will be sub-let without the prior written permission of the Expo Authority.

(4)

- (10) As regard to electrical fitting etc. the Contractors shall have to engage the qualified licensed Electrical Contractor entitled to erect, handle and maintain high tension supply line and its upkeep and maintenance.
- (11) The Contractors shall not use any materials other than those specified in tender without the prior permission of the Expo Authority.
- (12) Part payment may be made to the Contractor according to the progress of the work and mutually agreed upon between the Contractor and the Expo Authority. Final payment will be made only after the completion of the Expo, handing over of ground to the concerned Authorities & receipt of funds from the office of the Development Commissioner for Handlooms, New Delhi.
- (13) The tenderer should fill the rate tendered in figures as well as in words. The rates tendered should be inclusive of all other taxes applicable in the State of Maharashtra except GST as it is mentioned separately. The tender form must be filled in English and all entries made by hand and written in ink. No corrections will be permitted. The amount in numbers and figures should be same otherwise the lesser of 2 will be considered. Each page of the tender form and other related papers submitted there with should be signed by the tenderer.
- (14) Tenderers are required to deposit an earnest money of Rs. 5,00,000/- (Rupees Five Lacs only). The amount of earnest money will be accepted only through Net Banking as per online schedule. Only those tenderers who have necessary expertise and capacity in the execution of the job within the stipulated time should submit the tender. The tender without earnest money will not be accepted.

- (15) While submitting the tender, the Tenderer should submit the following in two separate part.

Part – (A) : Technical Bid

- 1) Rs. 5,00,000/- E.M.D. through Net Banking online payment as per online schedule.
- 2) Authentic proof of the work done of similar nature of National Handloom Expo and value exceeding Rs. 1.00 Crore with any Government Fair Authority of the country or National Handloom Expo Authority in last three years. It should be supported by TDS Certificate.
- 3) Copy of the GST Registration Certificate and PAN Card.
- 4) Audited Statement of Account of Company for past 2 years.
- 5) Certificate of Turnover from appropriate authority.
- 6) A List of works of similar nature executed giving details of their magnitude, cost and time within which the works were completed.
- 7) Detailed Map with plan of layout of Pavilions.

Part – (B) : Financial Bid

Part B will be opened only if all condition in Part A (Technical Bid) are fulfilled. The rates are required to be quoted in the Schedule of quantities for the National Handloom Expo, Pune. The documents should duly be signed.

- (16) The tenders not accompanied by requisite documents mentioned herein above is liable to be invalid.
- (17) Tender Committee reserves the right to reject any or all tenders without assigning any reasons. Conditional Tender in all form whatsoever will not be qualified/considered and will be liable for outright rejection.
- (18) The successful tenderer shall immediately and not later than the next day of intimation of acceptance of tender, sign an agreement of Non-Judicial stamp paper of appropriate value. Failure to do so shall give the Tender Committee the right to revoke the acceptance of the tender without further notice to the tenderer, forfeit the earnest money deposit and award the work to any other Contractor.

- (19) The earnest money deposit of Rs. 5,00,000/- shall be adjusted as Security Deposit for the successful tenderer and same shall be returned after completion of Expo.
- (20) The e-Tender Notice forms part of tender document.
- (21) The word Expo Authority will read and include Managing Director, Joint Managing Director, M. S. Handlooms Corporation Limited, Nagpur and Member Secretary of Expo Committee.
- (22) The Contractors shall have to ensure safety of all participants and goods by way of using best material so as to eliminate fire hazard or collapse of structure which may lead to injury of participants and visitors.
- (23) In case of dispute Director, Textiles will be the sole Arbitrator and his decisions shall be final and binding upon both parties.
- (24) All matters are subject to Nagpur Jurisdiction.
- (25) It is expressively made clear that the material involved for construction shall remain the absolute property of the Contractor and he shall remove and be entitled to the same after the Expo is over.

ACCEPTED.

Sd/-
MANAGING DIRECTOR
M. S. Handlooms Corpn. Ltd; Nagpur.

CONTRACTOR.

(7)

**SEPCIFICATION FOR INTERIOR AND EXTERIOR WORK OF THE
HANDLOOM THEME PAVILION OF DEVELOPMENT COMMISSIONER FOR
HANDLOOMS MINISTRY OF TEXTILES, GOVERNMENT OF INDIA,
NEW DELHI.**

1. The Handloom theme Pavilion of Development Commissioner for Handlooms will be based in a covered area of 3,000 square feet in prominent place.
2. Them Theme Pavilion will be constructed and the entire design work will be executed by the contractor under the overall supervision of the Office of Development Commissioner for Handlooms in accordance with the designs and layouts appended. It should be ensured that sufficient walking space would be provided with proper landscaping . The display work in the pavilion will also be executed by the Contractor under the supervision of office of Development Commissioner for Handlooms and this would involve weaving on looms, designs, textures, fabrics, R & D work, decorative etc. The exhibits for display will be supplied by the Office of the development Commissioner for Handlooms to the Contractor for safe carriage to the Expo which will be returned to the Office of Development Commissioner for handlooms intact on conclusion of the event.
3. The entire floor area of the Theme Pavilion will be coir-matted and natural colour and the interior walls distempered/ oil- painted in off-white.
4. The structure is to be made from 4” ‘A’ class pipe pillars, 3” rafter and 2” purline covered with 8’ to 10 ‘ long new GCI sheets. Maximum / minimum heights of roof on either side will be 16’/ 14’ respectively and is to have enough slope (Please refer to drawing-1) The roof should be water proof and should withstand wind, rain, storms etc. False ceiling should be properly fitted with the roof in the approved shape and design in off-white handloom cloth so as to maintain a uniform height of 13’ from the floor. There should be proper, griding of 4’ x 4’ for false ceiling, lighting and display. The floor should be of block Board 1” thick at a height of 18” from ground with proper bracing’s not more than 2’ apart, covered with approved natural coir-mat. The outer gap between the ground and the floor should, however, be covered with ply please refer drawing 1,2 & 3 for full details). Steps at both Exit and Entrance should be provided to enable the visitors to the Expo to have an easy access as per drawing No. 4.
5. Window with appropriate design are to be provided at the front facia as indicated in the drawing No. 3. The facia will have “Theme Pavillion” written in English and the regional language along with the Handlooms symbol. The entrance and exit gates will be as per specification at drawing No. 4.
6. Lighting and ventilating arrangements are to be in accordance with the required standards. Electrical light and fan-fittings are to be provided with necessary wiring or main line separately for fan, light, night-lamps, distribution and point-wiring including switch, main-switch, etc. using ISI, standard wire and light fittings complete as may be approved by the Authority.

Constructions should take into consideration fire and security hazards. Requisite fire-fighting equipment, emergency light and adequate exhaust fans etc. should be installed in the Pavilion.

7. The following materials is to be provided by the contractor in the Theme Pavilion :-

i)	Decorative plants	..	100 numbers
ii)	Pedestal fans	..	4 numbers
iii)	Emergency Light	..	6 numbers
iv)	Spot light	..	100 numbers
v)	Halogen light	..	4 numbers
vi)	Exhaust Fan	..	2 numbers
vii)	Display Boards	..	20 numbers
viii)	Display rods/ pipes (iron/steel of ½" diameter and 10 length	..	100 numbers
ix)	Wooden frames of various size for Display of fabrics	..	24 numbers

8. The per sq. ft. rate quoted by the contractor for Theme pavilion should only be rental charges inclusive cost of all above items from 1-7.

9. The Contractor should complete the entire work of Theme Pavilion including display, etc. to the complete satisfaction of the Development Commissioner for Handlooms three days before inauguration of the Expo. The progress of construction of Theme Pavilion will be overseen by the officer in-charge of Theme Pavilion and if at any stage, the progress is not considered satisfactory, the Development Commissioner for Handlooms reserves the right to cancel the contract without financial obligations. The Development Commissioner for Handlooms shall reserve the right to equip the Theme Pavilion on its own with all such materials that are no furnished/ installed by the contractor as per the contract and within the stipulated period of completion of contract and adjust all such expenses against payment to the contractor.

10. Only on completion of the work to the entire satisfaction of the Development Commissioner for Handlooms, will to made to the contractor by the office of the Development Commissioner for Handlooms on submission of a triplicate bill.

11. For additions/ alterations, if any, suggested by the officer-in-charge of the Theme Pavilion, no extra payment will be made.

12. In case the Expo is extended up to a period of 3 days due to any reasons, no extra charges are to be made for the Themes Pavilion.

13. The execution of the work within the stipulated period, maintenance and carrying out such incidental repairs/ modifications, which may become necessary during the course of Exhibition are the responsibility of the contractor.

14. The Tender Committee reserves the right to accept or reject any quotation in their absolute discretion and without assigning any reason.

(9)

Not with standing any thing contained in the aforesaid clauses and in the accompanying schedules the Theme Pavilion in-charges shall be competent to effect changes to the venue and to the schedule as accordingly or even cancel the construction work of the Theme Pavilion and the contractor will not have any claim against the Development Commissioner for Handlooms for the preliminary works or any other expenses to the contractor in connection with his tendering for the work and further proceeding thereon incurred by him until such alteration or cancellation.

Sd/-
Managing Director
M. S. Handlooms Corpn. Ltd; Nagpur.

Name & Address of Partners :-

If partnership Firm :

- | | |
|----|----|
| 1. | 3. |
| 2. | 4. |

CONTRACTOR.

Encl. : Drawings.

Standard specification for the interior and Exterior decoration work of the state pavilion for

NATIONAL HANDLOOM EXPO-2017-18- PUNE

DETAILED SPECIFICATIONS

1. DETAILS OF CONSTRUCTIONS :

The structure should be sturdy and neatly finished. The basic structure is constructed of 3" dia steel tubules pipes 'A' class for the pillars made from 3" pipes and spaced of 2" at 4' spacing, or steel material of equivalent strength. The roof will be made from GCI sheets of between 22 to 26 gauge (without any imperfection of holes) of 8' or more length. Overlap and extension of the CGI sheet should be 1' both in the front and back and sufficient slope and drainage of water in case of rain has to be ensured by the Contractor. All back and front and sides must have an overhang of at least 12".

The sides, back and front walls are made of 4' ft. frame work made of not less than 3" x 1" vertical and at least 1" horizontal frame work, covered with 4 mm plywood on both sides, Similarly all dividing walls will be made from frame work of not less than 3" x 1" wood covered with 4 mm thick commercial plywood.

Overall height of the partition wall in between two pavilions less than 8' and a false ceiling of approved quality will be stretched at a height of 8 ½ from the floor, thus leaving a gap of 6' for ventilation. Ventilation should be covered with wire gauze of approved quality.

2. FLOOR :

The floor should be of block Board 1" thick at height of 12" from ground with proper bracing's not more than 2' apart, covered with approved colour coir mat. The outer gap between the ground and the floor should, however, be covered with ply.

3. STEPS :

Steps at both exit and Entrance should be provided to enable the visitors to the Expo to have an easy access to each pavilion. Size of the steps should be 4' x 1' x ½. A run through brickary of 2' width connecting each pavilion should be provided at the expo.

4. FRONT-SHOW WINDOW :

A show window should be provided at the front of Pavilion measuring not less than 24 square feet for 500 square feet pavilion, 32 square feet for 1,000 square feet pavilion and 40 square feet for 1500 and 2000 square feet pavilion with proper arrangements for display. A mirror (1'x 3') should be fixed at a convenient place nearest to the Sales counter inside the Pavilion. Pelmet to be provided over the windows.

5. FRONT FACIA :

Front facia will be 4' wide with lettering of the name of the State, both in Hindi and English, on it besides name of the Organization. Colours of the facia and letterings should be as approved by the Expo Authority. The height of the facia will be 16' from ground level. Side wall of the corner pavilions should have an height of 12' and should also be covered with facia as in the front.

6. RUNNING SALES-COUNTER/CASH/COUNTER :

To be provided and be fabricated with 18 mm commercial block-board and properly painted with approved shade and colour. Height should be 36" and the width 2'. The length of the counter will not be less than 24' feet in case of 500 square feet, 48' feet for 1000 square feet, 72' feet or 1500 square feet and 96' feet for 2000 square feet pavilion. One cash-counter of 3' x 4' x 2½ shall be provided in addition to the stipulated sales-counters to each of the pavilions (for extra fittings quote separately) with provision of a chair for the Cashier. A drawer with a provision for lock should be provided with Cash-counter.

7. RUNNING ALMIRAH/RACK :

To be provided and be fabricated with commercial block board with vertical partition of 4' apart (approx). and horizontal partition (shelves) at approx. 1' & 3' apart. Height 8' and depth not less than 16". The length of the rack should be sufficient to cover the entire length of the counter from one end to the other (for extra fittings quote separately). Minimum five shelves to be provided in each rack.

8. DOOR :

Providing two doors of 4' x 7' size one for entry and one for Exit with wooden frame of 1' x 1½' size with 4 mm ply covered on both sides along with locking arrangements from both sides excepting 500 square feet where only one door will be provided. Suitable pelmet to be provided on the top of the door.

9. FIRE EXTINGUISHERS :

For each pavilion 2 Nos. Fire Extinguishers as approved by Fire Authority shall have to be installed, one each for common and another suitable for electrical fire. They should be installed at placed as directed by the Fire Authority.

10. ELECTRICALS :

Electrical light and fan fittings to be provided with necessary wiring on main line separately for (a) fan (b) light (c) night lamp, distribution and point wiring including switch, main switch, etc., using ISI standard wire and light fittings complete as may be approved by the local electrical Authority. All fittings should be properly ocused to enable enough/ proper lighting at the sales counter and general lighting at the Pavilion.

The following fittings will be provided :

Pavilion size (in square ft.)	Tube Lights 60 w and above	Pedestal / Ceiling Fans	Power Point	Night Lamp-cum Generator connection out of the Provision as under columns (2)	
				Lights	Fans
(1)	(2)	(3)	(4)	(5)	
250	08	1	1	1	1
500	16	2	2	2	2
1000	32	3	3	4	3
1500	48	4	4	6	4

(Contractor should provide requisite number of Generator as a stand by as to provide connections to the number of tube lights as mentioned under column-5 in the case of power failure. The capacity of the generators must be such as to meet the load of the installations under Col.5) This is the minimum night time requirement in each stall.

All electrical works including fittings and fixtures and wiring must be done through a licensed Electrical Contractor borne in the current approved list of PWD (Electrical/CPWD, etc.) who will submit and obtain necessary approvals and submit TEST FORM to Executive Engineer, PWD (Electricals for power connection).

11. ELECTRICAL SCHEDULE :**(a) Power connection and distribution :**

The contractor shall quote rental for the following items for the duration on the Expo. The rental shall be inclusive of all wiring, trenches inclusive of all cabling from switch transformer to boards, distribution boards for each block of 10 shops to main panel board for three phase meter for requisite power load inclusive

of all equipment structures and fitting as required for the electric supply and contract from the supply terminal to and inclusive of distribution board for a block of 10 shops as approved. Installation of transformer(s) shall also be the responsibility of the contractor. He shall also supply, fix and maintain HRC, Fuses, TP Switch, fuse units, DP SWITCH FUSES, PORCELAIN Kit-kats, etc. required for the distribution of power to individual shops. Complete safety measures shall be adopted and all cable joints etc., properly earthen with copper conductor and sufficient earthing pits provided under the direction and approval of the Director/ Expo Authority. The rental shall include constant attendance of qualified and experienced Electrician for the maintenance and service (entirely at the cost of the Contractor) as required. The temporary electrical connection and consumption charges required for construction period shall be obtained by the Contractor at his own risk and cost. The meter rental and electricity consumption charges for the duration of the expo shall however borne by the Director/ Expo Authority.

Besides the tube light fittings, spot lights, fans etc., mentioned in the general construction, the Contractor has to provide the following lighting arrangements.

(b) LIGHTS :

Providing and fixing Halogen & Metalight outdoor type water proof fittings complete with under-ground wiring and steel fixing brackets of 75 mm x 6 Mtrs, high 'A' class steel poles duly painted black or as per instruction of the Expo Authority with two/four 1000 watt halogens/metalight. (quote separately for two/four)

(c) TUBE LIGHTS :

Providing and fixing 4' long fluorescent tube lights on new steel patties, in the packing area, WC bath room etc., as per the instruction of the Expo Authority. The number of lights should be sufficient to avoid darkness and as per instructions given by Expo Authority.

(d) PUBLIC ANNOUNCEMENT SYSTEM :

Complete Public address system with a powerful (PA 60) switch over type amplifier with 2 microphones, tape player and 20 numbers loudspeakers strategically placed on the grounds and parking area is to be provided. A full time operator shall be provided by the contractor to operate the Sound System and Play Cassettes of recorded instrumental music. The control, amplifier, etc. will be located in or near the office.

12. (a) CONSTRUCTION OF OFFICE :

Construction is same as State Pavilions except no rack and counter. Sufficient office furniture's/fixtures and other office items as instructed at site by Expo authorities should be provided at the Pavilion by the Contractor without any extra cost. Office furniture shall include (1) sofa set (2) one fridge (3) table & chairs (4) two room coolers/room heaters (2) tray/glasses/jug/flask, etc. Announcer cabin will be provided therein as directed. Additions/alterations may be suggested at the site by the Expo authority, for which, no extra payment shall be made to the contractor. A full and a half size steel almirah with lock and key is to be provided. A separate urinal attached to the office should be provided for use by Officers.

(b) CONSTRUCTION OF POST OFFICE :

Construction is same as sales pavilions except racks and counters. One counter with glass window, four chairs and a drawer with locking facility will have to be provided. The counter shall be 300 cm. long or as directed by Postal Authorities including lighting as directed. Two pedestal fans should also be provided in the Post Office.

(c) CONSTRUCTION OF BANK :

Construction conditions are same as in (b) above.

(d) CONSTRUCTION OF POLICE / SECURITY POST :

As under (b) above.

(e) FIRE BRIGADE OFFICE / GARAGE :

A garage for fire tender is to be provided with GCI sheets over steel pipe structure with a difference in height i.e. 24' in front and 20' in the back. Dimension of the garage would be 24.' X 32'. There is no plywood work except for fascia. Front side will remain open and rear wall should be kept closed with GCI sheets (partition wall, roofing will be made out of GCI sheets) including lighting as directed. Two pedestal fans, five chairs and 4 folding beds are to be provided. Arrangement for a tent accommodating four beds near the garages shall also have to be provided.

The above specifications are the minimum requirements. Further instructions on the spot will be given by the fire/Bank/PO/ Police authority in case any deviation is deemed necessary. No. extra payment shall be made to the Contractor for all such addition / alterations.

13. (a) BATH ROOM / WCs.

Contractors have to provide covered bathroom and WCs for the use of the participants and visitors on round the clock basis. Sufficient water supply has to be insured by the Contractor and arrangements for handling soiled/ dirty water are to be made on large scale enough to handle the expected volume of rush. Setting tanks, septic tanks, sock-pits, sewer lines and man holes, etc. as mandatory under CPWD rules are to be provided to run the WCs and bathrooms at the expo. The rates of WCs and bathrooms therefore should be inclusive of all these provisions.

(b) WCs – Total 4 sets of WC blocks consisting of 10 WCs in each block at site as indicated by the expo authority. Internal size of WC is 4' x 4' height 6 ½ from platform level. Roof and the partition should be with GI sheets without imperfection or holes. The WC (Indian type) sheet and its platform will be 1' x 6" high from ground level, made of brick work in 1:3 cement sand with top finish of 1" thick IPS Flooring with necessary slope in floor as required. Lockable door with necessary fittings should also be provided. The fitting of door should be in such a way that privacy is maintained. Each Block of WCs must have an overhead water tank of 500 litre capacity and enable round the clock water service. Water tap in each WC may also be provided. WCs and toilets with indication of Gent/s Ladies should be made. Electrical fittings and provision of 100 watt bulb to be provided in each WC. Each WCs should be equipped with buckets/ mugs. A full time sweeper should be engaged for each block of WCs to ensure cleanliness through out the expo. The WCs should be ready at least two days before the commencement of the Expo.

(b) BATHING PLACE :

A 9" raised masonry platform from Ground Level with cement plaster 30' long and 5' wide having ¾" IPS flooring over it with proper slope is to be constructed and a 5' x 4.5" thick brick wall 30' with 1:4 cement mortar also to be constructed at one end of Platform to support 10 water taps. Drainage of waste water should also be properly arranged. There should be no spreading of water by over-flow or leakage's in the disposal system. An over-head tank of 2000 liter capacity should be constructed to enable round the clock water facility.

(c) URINALS :

Providing urinal at 3 places with 8 urinals stalls in each made from a brick wall of 4' height of 16' length with 4" partition walls to go between each urinal duly plastered, a platform of 16' x 3' with brick work duly plastered is to be provided

for standing. The platform should have proper slope for drainage. A gutter is to be provided at the base of the back wall and Platform and drains as directed urinals will be hand flushed. Round the clock water facility should be made available at all Urinals.

(d) STORAGE AND DISTRIBUTION OF WATER SUPPLY :

The contractor is to provide for the storage and distribution of water throughout the Expo grounds.

1. Main storage plastic tank to be installed at high point with a capacity of 5000 liter. Inlet from the main waterline and outlet to the smaller tanks with proper plumbing and connection should be ensured by the contractor through out the expo period.
2. Four smaller tanks of 500 liter capacity to be fixed on 4 WCs blocks and a 2000 capacity tank at the bathing place with both inlet from the main tank and outlet to the required areas with proper plumbing and connections must be ensured by the contractor through out the expo period.
3. Twenty numbers of self-closing railway type taps of 1½” dia. Are to be provided at two places with round the clock drinking water supply must be ensured by the contractor through out the expo period. Proper drainage of water must be ensured to avoid any water logging/ stagnation.

(e) FOUNTAIN :

One fountain with colourful water lightings as per design of 20 x 20 x 3’ is to be made. Construction in brick masonry in 1:6 cement sand mortar to be Plastered in stand/ cement 1:3 in one continuous process without break so that there are no leakage of water and ‘pumping’ to which blue colour is to be added. This fountain is to be provided with a powerful booster pump of 1 HP with 2” take and 1 ½” outlet and fitted with ¼ No.s of Mushroom type fountains. Cleaning and maintenance of the pool, Pump and water supply is to be undertaken by the Contractor during Expo period.

(f) KIOSKS :

Size of each kiosk will be 10’ x 10’ x 8’ with GCI roof and shall have facia of 2’ x 10’ on all the four side. Each Kiosks should be provided six tables of 4’ x 4’ 4’ size, eight tube lights with power connection, two drum of 6’ height to store disposable/ wastes and power connection wherever required (the number of extra power points with connections and to the stall where such connections are to be

provided shall be intimated at site by the Expo Authority). Electrical wiring inside the kiosks should be done on conduct piping so as to avoid fire hazards. Flooring should be leveled and raised with 3" bricks.

(g) MAIN GATE :

Main gate and side gate as per design enclosed.

All the materials used for construction of State Pavilions/ Kiosks, etc., should meet the approval of the Expo Authority. Not with standing anything contained in the aforesaid clauses and in the accompanying schedules, the Expo Authority is competent to effect change of the venue and to the schedules accordingly or even cancel the Expo before the work is formally awarded and the Contractor will not have any claim against the Managing Director for the preliminary work(s) or any other expenses incurred by the Contractor in connection with his tendering for the work and further proceedings thereon until such alteration or cancellation.

SD/-
MANAGING DIRECTOR
M. S. HANDLOOMS CORPORATION LIMITED,
NAGPUR.

NATIONAL HANDLOOM EXPO 2017-18, PUNE**(06/01/2018 TO 28/01/2018)****LETTER OF OFFER**

The details of the items which will be provided under construction of stalls, Back-up Services and Electricity supplies during the National Handloom Expo at Pune from 06/01/2018 to 28/01/2018

(QUOTE RATES FOR ENTIRE EVENT PERIOD)

<u>DETAILS OF THE CONSTRUCTION WORK TO BE PROVIDED</u>				
<u>Sr. No.</u>	<u>Particulars</u>	<u>Probable Quantity</u>	<u>Rate</u>	<u>Value</u>
1	2	3	4	5
1.	THEME Pavilion as per the design of sample enclosed with the tender form. 2500 sq. ft.	One		
2.	Stalls in 250, 500, 1000, 1500 sq.ft. sizes with the provisions mentioned as per enclosed specification including Light, Fans for office and stalls.	45000 sq. ft.		
3.	Providing all Electrical connections, fittings and fixtures as per details in item no. 10 and 11 of Schedule 'A'. Power point will be provided in every stall for Cell Phone charging.	One Unit		
4.	Street/Parking Lights 500 Watts each a) Halogens b) Metahallides	250 250		
5.	Lights as specified for vacant space	1750		
6.	Providing covered cooking space.	2 Units (20x10)		
7.	Providing & fixing Flags on steel poles 20' height with 3'x6' size new satin cloth of different colours.	75		
8.	Providing Gates.	3 Nos.		
9.	Provision of decorative ornamental lights around the Expo/Boundary wall along with wiring, powers, etc. a) of zero watts } b) of 25 watts }	Set of 1000 bulb 10 sets 20 sets		
10.	Fixing Hoarding frames at Expo site 30'x 20' with Flex Hoarding.	4 Nos.		

<u>Sr. No.</u>	<u>Particulars</u>	<u>Probable Quantity</u>	<u>Rate</u>	<u>Value</u>
1	2	3	4	5
11.	Plywood walling.	3000 sq. ft. Where ever required		
12.	Cloth / Hasain Walling	10000 sq. ft. wherever required		
13.	Construction of office	1000 sq. ft.		
14.	Construction of Police Post/ Security Post	500 sq. ft.		
15.	Fire Brigade Garage	One		
16.	Providing and installing storage tanks of different sizes.	20000 Ltr.		
17.	Providing fountain including pump fountain, colored, water lighting, piping etc.	One		
18.	Providing boundary wall of 8 feet height with Clean GCI sheets on wooden poles/pillar wherever required.	3000 running ft.		
19.	Maintenance of the total ground with adequate man- power for the expo period. Maintenance would include, leveling cleaning and laying raw sand to avoid water logging in case of rain, Provision of 200 potted plants, Sweeping of the entire expo complex daily, provision of 15 three seated benches etc.	Lumpsum		
20.	Providing Water Tankers (4000 Ltr. each)	150 Nos.		
21.	Spreading Green Synthetic Net in the open passage of Expo Ground.	120000 sq. ft.		
22.	Installation of 30'x40' Dias for Inauguration/Cultural Show with Ramp, Wings and Green Room.	Lumpsum		
TOTAL - A				
GST @				
GRAND TOTAL - A				

Note: The rates tendered are inclusive of all taxes applicable in the State of Maharashtra except GST which is mentioned separately.

<u>DETAILS OF THE BACK-UP SERVICES TO BE PROVIDED</u>				
<u>Sr. No.</u>	<u>Particulars</u>	<u>Probable Quantity</u>	<u>Rate</u>	<u>Value</u>
1	2	3	4	5
1.	Public Announcement System.	One Unit		
2.	Providing WC Units as specified in sample with Tender Form with certain alterations to suit requirement.	4 Units		
3.	Bathing Space as specified in sample with Tender Form with certain alterations to suit requirement.	4 Units		
4.	Urinals as specified in sample with Tender Form with certain alterations to suit requirement.	4 Units		
5.	Providing Fire fighting equipments:- a) Fire Extinguisher b) 200 Water Drum with 10 Ltr. 2 Bucket for each Drum c) Fire Bucket	60 30 16		
6.	Drinking Water arrangement for visitors will be provided at three places with aqua facility.	Lumsum		
TOTAL – B				
GST @				
GRAND TOTAL - B				

Note: The rates tendered are inclusive of all taxes applicable in the State of Maharashtra except GST which is mentioned separately.

<u>DETAILS OF THE ELECTRICITY ARRANGEMENT</u>				
<u>Sr. No.</u>	<u>Particulars</u>	<u>Probable Quantity</u>	<u>Rate</u>	<u>Value</u>
1	2	3	4	5
1.	Electricity supply will be arranged by providing Silent Diesel Generator Set including fuel and operator for the entire Expo period including erection and dismantling. (Find enclosed terms and conditions for silent D. G. Set)	250 KVA x 1 125 KVA x 3 63 KVA x 1 QUOTE SEPERATELY FOR EACH		
TOTAL – C				
GST @				
GRAND TOTAL - C				

Note: The rates tendered are inclusive of all taxes applicable in the State of Maharashtra except GST which is mentioned separately.

Total Cost of Tender (i.e. GRAND TOTAL A+B+C) is Rs.

In Words (.....
.....)

SEAL & SIGNATURE OF THE TENDERER,

MAHARASHTRA STATE HANDLOOMS CORPORATION LIMITED, NAGPUR.

The Terms & Conditions for Providing Silent DG Set :-

1. The rate quoted should be inclusive of fuel, operator and cable up to supply board and fittings in stalls.
2. All permission/NOCs will be obtained by tenderer.
3. D.G. Set provided should be silent.
4. Generator services will be from 12.00 to 22.00 hrs every day. However Night Lamps and Fans as per schedule 10 will be required at all other time.
5. 500 KVA Generator services are required from **06/01/2018 TO 28/01/2018** Generator set should be functional on or before **05/01/2018** so as to undertake necessary tests before actual working.
6. On last day of Expo i.e. **28/01/2018** generators will work upto 24.00 hrs. (Mid Night)
7. All maintenance and servicing if required should be undertaken at the cost of tenderer.
8. In case of breakdown, arrangement for instant replacement should be available.
9. **Penalty clause** :- in case of breakdown if instant replacement is not done, penalty @ Rs. 5000 /- per hour per unit will be levied.

We accept above terms and conditions to provide silent D.G. Set.

SEAL & SIGNATURE OF THE TENDERER